

HIGHLIGHTS OF VETERINARY ENTOMOLOGY – 2003 Literature Cited and Other References

Phillip Kaufman

- Aguilar-Tipacamu, G., and R. Rodriguez-Vivas. 2003.** Effect of moxidectin against natural infestation of the cattle tick *Boophilus microplus* (Acarina: Ixodidae) in the Mexican tropics. *Vet. Parasitol.* 111: 211-216.
- Ahmed, S., and R. Wilkins. 2002.** Studies on some enzymes involved in insecticide resistance in fenitrothion-resistant and susceptible strains of *Musca domestica* L. (Diptera: Muscidae). *J. Appl. Entomol.* 126: 510-516.
- Aksoy, S. 2003.** Control of tsetse flies and trypanosomes using molecular genetics. *Vet. Parasitol.* 115: 125-145.
- Akucewich, L., K. Philman, A. Clark, J. Gillespie, G. Kunkle, C. Nicklin, and G. E. 2002.** Prevalence of ectoparasites in a population of feral cats from north central Florida during the summer. *Vet. Parasitol.* 109: 129-139.
- Alexander, B., and M. Maroli. 2003.** Control of phlebotomine sandflies. *Med. Vet. Entomol.* 17: 1-18.
- Alexander, B., R. de-Carvalho, H. McCallum, and M. Pereira. 2002.** Role of the domestic chicken (*Gallus gallus*) in the epidemiology of urban visceral leishmaniasis in Brazil. *Emerg. Infect. Diseases.* 8: 1480-1485.
- Anderson, J., A. Main, T. Andreadis, S. Wikel, and C. Vossbrinck. 2003.** Transstadial transfer of West Nile virus by three species of ixodid ticks (Acari: Ixodidae). *J. Med. Entomol.* 40: 528-533.
- Aorigele, T., T. Saeki, T. Kyuma, and K. Matsui. 2003.** Development of an automatic measuring system for recording the number of tail swishing against pest flies in grazing cattle. *Grassland Sci.* 48: 517-521.
- Archer, M., and M. Elgar. 2003.** Effects of decomposition on carcass attendance in a guild of carrion-breeding flies. *Med. Vet. Entomol.* 17: 263-271.
- Arenas, A., F. Gomes, R. Salas, P. Carrasco, C. Borge, A. Maldonado, D. O'Brien, and F. Martinez-Moreno. 2002.** An evaluation of the application of infrared thermal imaging to the tele-diagnosis of sarcoptic mange in the Spanish ibex (*Capra pyrenaica*). *Vet. Parasitol.* 109: 111-117.
- Artzrouni, M., and J. Gouteux. 2003.** Estimating tsetse population parameters: application of a mathematical model with density-dependence. *Med. Vet. Entomol.* 17: 272-279.
- Bacon, R., R. Gilmore, M. Quintana, J. Piersman, and B. Johnson. 2003.** DNA evidence of *Borrelia lonestari* in *Amblyomma americanum* (Acari: Ixodidae) in southeast Missouri. *J. Med. Entomol.* 40: 590-593.
- Barker, S. 2003.** The Australian paralysis tick may be the missing link in the transmission of Hendra virus from bats to horses to humans. *Med. Hypothes.* 60: 481-483.
- Bartlett, K., S. Alm, R. Lebrun, and H. Ginsberg. 2002.** The horse and deer flies (Diptera: Tabanidae) of Rhode Island. *Ann. Entomol. Soc. Am.* 95: 547-551.

- Baudry, E., J. Bartos, K. Emerson, T. Whitworth, and J. Werren. 2003.** *Wolbachia* and genetic variability in the birdnest blowfly *Protocalliphora sialia*. *Molec. Biol.* 12: 1843-1854.
- Bauer, C., G. Steng, F. Prevot, and P. Dorchies. 2002.** Seroprevalence of *Oestrus ovis* infection in sheep in southwestern Germany. *Vet. Parasitol.* 110: 137-143.
- Bekele, T. 2002.** Studies on seasonal dynamics of ticks of Ogaden cattle and individual variation in resistance to ticks in Eastern Ethiopia. *J. Vet. Medicine* 49: 285-288.
- Bianchi, M., and N. Barre. 2003.** Factors affecting the detachment rhythm of engorged *Boophilus microplus* female ticks (Acari: Ixodidae) from Charolais steers in New Caledonia. *Vet. Parasitol.* 112: 325-336.
- Bianchi, M., N. Barre, and S. Messad. 2003.** Factors related to cattle infestation level and resistance to acaricides in *Boophilus microplus* tick populations in New Caledonia. *Vet. Parasitol.* 112: 75-89.
- Boohene, C., C. Geden, and J. Bencel. 2003.** Development of microsporidia-infected *Muscidifurax raptor* (Hymenoptera: Pteromalidae) at different temperatures. *Biol. Control* 26: 1-7.
- Braverman, Y., I. Davidson, G. Chizov, and C. Chastel. 2003a.** Detection of Israel turkey meningo-encephalitis virus from mosquito (Diptera: Culicidae) and *Culicoides* (Diptera: Ceratopogonidae) species and its survival in *Culex pipiens* and *Phlebotomus papatasi* (Diptera: Phlebotomidae). *J. Med. Entomol.* 40: 518-521.
- Braverman, Y., S. Rechtman, A. Frish, and R. Braverman. 2003b.** Dynamics of biting activity of *C. imicola* (Diptera: Ceratopogonidae) during the year. *Isr. J. Vet. Med.* 57: 113-116.
- Calibeo-Hayes, D., S. Denning, S. Stringham, J. Guy, L. Smith, and D. Watson. 2003.** Mechanical transmission of turkey coronavirus by domestic houseflies (*Musca domestica* Linnaeus). *Avian Diseases* 47: 149-153.
- Capela, R., B. Purse, I. Pena, E. Whittman, Y. Margarita, M. Capela, L. Ramao, P. Mellor, and M. Baylis. 2003.** Spatial distribution of *Culicoides* species in Portugal in relation to the transmission of African horse sickness and bluetongue viruses. *Med. Vet. Entomol.* 17: 165-177.
- Carroll, J., and M. Kramer. 2003.** Winter activity of *Ixodes scapularis* (Acari: Ixodidae) and the operation of deer-targeted tick control devices in Maryland. *J. Med. Entomol.* 40: 238-244.
- Chagas, A., J. Furlong, and C. Nascimento. 2002.** Predation of *Boophilus microplus* (Canestrini, 1887) (Acari: Ixodidae) tick engorged female by the ant *Pachycondyla striata* (Smith, 1858) (Hymenoptera: Formicidae) in pastures. *J. Biosci.* 18: 77-81.
- Chaudhury, M., A. Alfredo, and V. Lopez. 2002.** Recycled paper products as substitutes for gelling agent in screwworm (Diptera: Calliphoridae) larval diet. *J. Econ. Entomol.* 95: 1337-1341.
- Chirico, J., and R. Tauson. 2002.** Traps containing acaricides for the control of *Dermanyssus gallinae*. *Vet. Parasitol.* 110: 109-116.
- Chirico, J., H. Eriksson, O. Fossum, and D. Jansson. 2003.** The poultry red mite, *Dermanyssus gallinae*, a potential vector of *Erysipelothrix rhusiopathiae* causing erysipelas in hens. *Med. Vet. Entomol.* 17: 232-234.
- Coles, G., M. Hillyer, F. Taylor, and I. Villard. 2003.** Efficacy of an ivermectin-praziquantel combination in equids against bots and tapeworms. *Vet. Record* 152: 178-179.

- Colman, J., C. Pedersen, D. Hjermann, O. Holand, S. Moe, and E. Reimers. 2003.** Do wild reindeer exhibit grazing compensation during insect harassment? *J. Wildl. Mgmt.* 67: 11-19.
- Colwell, D., R. Panadero-Fontan, C. Lopez-Sandez, F. Parra-Fernandez, A. Paz-Silva, R. Sanchez-Andrade, and P. Diez-Banos. 2003.** Effect of treatment on the dynamics of circulating hypodermin C in cattle naturally infested with *Hypoderma lineatum* (Diptera: Oestridae). *Vet. Parasitol.* 113: 263-272.
- Crowley, L., and M. Houck. 2002.** The immune response of larvae and pupae of *Calliphora vicina* (Diptera: Calliphoridae), upon administered insult with *Escherichia coli*. *J. Med. Entomol.* 39: 931-934.
- Cruz-Vazquez, V., G. Altamira, M. Ramos, L. Medina, V. Garcia-Vazquez, and J. George. 2002.** Susceptibility of *Haematobia irritans* (Diptera: Muscidae) to permethrin in dairies in Aguascalientes, Mexico. *J. Med. Entomol.* 39: 939-941.
- Davey, R., J. George, and R. Miller. 2003.** Efficacy of various concentrations of coumaphos to control adult, nymphal, and larval stages of an organophosphate-resistant strain of *Boophilus microplus* on infested cattle. *Am. J. Vet. Res.* 64: 684-689.
- Davoust, B., J. Marie, S. Mercier, M. Boni, A. Vandeweghe, D. Parzy, and F. Beugnet. 2003.** Assay of fipronil efficacy to prevent canine monocytic ehrlichiosis in endemic areas. *Vet. Parasitol.* 112: 91-100.
- DeRouen, S., L. Foil, A. MacKay, D. Franke, D. Sanson, and W. E. Wyatt. 2003.** Effect of horn fly (*Haematobia irritans*) control on growth and reproduction of beef heifers. *J. Econ. Entomol.* 96: 1612-1616.
- Dorchies, P., S. Wahetra, E. Lepetitcolin, F. Prevot, C. Grisez, J. Bergeaud, H. Hoste, and P. Jacquet. 2003.** The relationship between nasal myiasis and the prevalence of enzootic nasal tumours and the effects of treatment of *Oestrus ovis* and milk production in dairy ewes of Roquefort cheese area. *Vet. Parasitol.* 113: 169-174.
- Eisler, M., S. Torr, P. Coleman, N. Machila, and J. Morton. 2003.** Integrated control of vector-borne diseases of livestock: Pyrethroids: Panacea or poison? *Trends Parasitol.* 19: 341-345.
- Endris, R., J. Hair, T. Katz, E. Zobre, R. Pennington, and J. Meyer. 2002a.** Efficacy of three dose volumes of topically applied 65% permethrin against *Ctenocephalides felis* and *Rhipicephalus sanguineus* on dogs weighing 30 kg or more. *Vet. Therapeut.* 3: 435-440.
- Endris, R., J. Hair, G. Anderson, W. Rose, D. Disch, and J. Meyer. 2003.** Efficacy of two 65% permethrin spot-on formulations against induced infestations of *Ctenocephalides felis* (Insecta: Siphonaptera) and *Amblyomma americanum* (Acari: Ixodidae) on beagles. *Vet. Therapeut.* 4: 47-55.
- Endris, R., D. Amodie, V. Reuter, J. Hair, H. Meyer, D. Carey, J. Campbell, L. Smith, and J. Meyer. 2002b.** Efficacy of a 1% lambda-cyhalothrin cattle pour-on (Saber) against sucking and biting lice infesting beef cattle. *Vet. Therapeut.* 3: 387-395.
- Falconi, F., H. Ochs, and P. Deplazes. 2002.** Serological cross-sectional survey of psoroptic sheep scab in Switzerland. *Vet. Parasitol.* 109: 119-127.
- Farkas, R., A. Gyurcso, and L. Borzsonyi. 2003.** Fly larvicidal activity in the faeces of cattle and pigs treated with endectocide products. *Med. Vet. Entomol.* 17: 301-306.
- Finkelstein, J., T. Brown, K. O'Reilly, J. Wedincamp, and L. Foil. 2002.** Studies on the growth of *Bartonella henselae* in the cat flea (Siphonaptera: Pulicidae). *J. Med. Entomol.* 39: 915-919.

- Finn, J., and T. Gittings. 2003.** A review of competition in north temperate dung beetle communities. *Ecological Entomol.* 28: 1-13.
- Fischer, O., L. Matlova, L. Dvorska, P. Svastova, and I. Pavlik. 2003.** Nymphs of the Oriental cockroach (*Blatta orientalis*) as passive vectors of causal agents of avian tuberculosis and paratuberculosis. *Med. Vet. Entomol.* 17: 145-150.
- Floate, K. 2003.** Field trials of *Trichomalopsis sarcophagae* (Hymenoptera: Pteromalidae) in cattle feedlots: A potential biocontrol agent of filth flies (Diptera: Muscidae). *Can. Entomol.* 135: 599-608.
- Floate, K., D. Colwell, and A. Fox. 2002.** Reductions on non-pest insects in dung of cattle treated with endectocides: a comparison of four products. *Bull. Entomol. Res.* 92: 471-481.
- Geary, T., and D. Thompson. 2003.** Development of antiparasitic drugs in the 21st century. *Vet. Parasitol.* 115: 167-184.
- Geden, C., and D. Steinkraus. 2003.** Evaluation of three formulations of *Beauveria bassiana* for control of lesser mealworm and hide beetle in Georgia poultry houses. *J. Econ. Entomol.* 96: 1602-1607.
- George, J., R. Davey, and J. M. Pound. 2002.** Introduced ticks and tick-borne diseases: the threat and approaches to eradication. *Vet. Clinics Food Anim. Prac.* 18: 401-406.
- Ginsberg, H., R. LeBrun, K. Heyer, and E. Zhioua. 2002.** Potential nontarget effects of *Metarhizium anisopliae* (Deuteromycetes) used for biological control of ticks (Acari: Ixodidae). *Environ. Entomol.* 31: 1191-1196.
- Gorham, C., Q. Fang, and L. Durden. 2003.** Wolbachia endosymbionts in fleas (Siphonaptera). *J. Parasitol.* 89: 283-289.
- Gottlieb, Y., F. Zchori, J. Werren, and T. Karr. 2002.** Diploidy restoration in *Wolbachia*-infected *Muscidifurax uniraptor* (Hymenoptera: Pteromalidae). *J. Invert. Pathol.* 81: 166-174.
- Grant, A., and D. Kline. 2003.** Electrophysiological responses from *Culicoides* (Diptera: Ceratopogonidae) to stimulation with carbon dioxide. *J. Med. Entomol.* 40: 284-292.
- Grassberger, M., and C. Frank. 2003.** Temperature-related development of the parasitoid wasp *Nasonia vitripennis* as a forensic indicator. *Med. Vet. Entomol.* 17: 257-262.
- Green, P., M. Simmonds, and W. Blaney. 2003.** Diet nutrient and rearing density affect the growth of black blowfly larvae, *Phormia regina* (Diptera: Calliphoridae). *Euro. J. Entomol.* 100: 39-42.
- Guerrero, F., J. Pruett, and A. Li. 2002.** Molecular and Biochemical Diagnosis of Esterase-Medicated Pyrethroid Resistance in a Mexican Strain of *Boophilus microplus* (Acari: Ixodidae). *Exp. Appl. Acarol.* 28: 257-264.
- Guglielmone, A., M. Volpogni, H. Castro, A. Mangold, and O. Anziani. 2002.** A study of relative horn fly, *Haematobia irritans* (Diptera: Muscidae), abundance on Holstein steers and steers of two Holstein crosses. *Vet. Parasitol.* 109: 141-145.
- Hall, M., R. Hutchinson, R. Farkas, Z. Adams, and N. Wyatt. 2003.** A comparison of Lucitraps and sticky targets for sampling the blowfly *Lucillia sericata*. *Med. Vet. Entomol.* 17: 280-287.
- Hargrove, J. 2003.** Optimized simulation of the control of tsetse flies *Glossina pallidipes* and *G. m. morsitans* (Diptera: Glossinidae) using odour-baited targets in Zimbabwe. *Bull. Entomol. Res.* 93: 19-29.

- Hargrove, J., S. Torr, and H. Kindness. 2003.** Insecticide-treated cattle against tsetse (Diptera: Glossinidae): What governs success? *Bull. Entomol. Res.* 93: 203-217.
- Hasan, M., S. Parween, A. Reza, and N. Easmin. 2002.** Response of *Alphitobius diaperinus* Panzer to *Bacillus thuringiensis* Berliner var. *kurstaki*. *Entomon.* 27: 441-446.
- Hernandez, R., F. Guerrero, J. George, and G. Wagner. 2002.** Allele frequency and gene expression of a putative carboxylesterase-encoding gene in a pyrethroid resistant strain of the tick *Boophilus microplus*. *Insect Biochem. Molec. Biol.* 32: 1009-1016.
- Hinton, J., and R. Moon. 2003.** Arthropod populations in high-rise, caged-layer houses after three manure cleanout treatments. *J. Econ. Entomol.* 96: 1352-1361.
- Hogsette, J. A. 2002.** A summary of studies on the economic impact of horn flies, pp. 103, *Proceedings of the Fifth International Congress of Dipterology, Brisbane, Queensland, Australia.*
- Hogsette, J. A. 2003.** United States Department of Agriculture-Agricultural Research Service: Research on veterinary pests. *Pest Mgmt. Sci.* 59: 835-841.
- Hogsette, J. A., D. A. Carlson, and A. S. Nejame. 2002.** Development of granular boric acid sugar baits for house flies (Diptera: Muscidae). *J. Econ. Entomol.* 95: 1110-1112.
- Holden, K., J. Boothby, S. Anand, and R. Massung. 2003.** Detection of *Borrelia burgdorferi*, *Ehrlichia chaffeensis*, and *Anaplasma phagocytophilum* in ticks (Acari: Ixodidae) from a coastal region of California. *J. Med. Entomol.* 40: 534-539.
- Hopper, K. 2003.** United States Department of Agriculture - Agricultural Research Service research on biological control of arthropods. *Pest Mgmt. Sci.* 59: 643-653.
- Horgan, F. 2002.** Shady field boundaries and the colonization of dung by coprophagous beetles in Central American pastures. *Agric. Ecosystems Environ.* 91: 25-36.
- Howerth, E., D. Mead, and D. Stallknecht. 2002.** Immunolocalization of vesicular stomatitis virus in black flies (*Simulium vittatum*). *Ann. New York Acad. Sci.* 969: 340-345.
- Hsu, M. 2003.** Flea biology and control. The biology of the cat flea, control and prevention with imidacloprid in small animals, Friederike Kra"mer and Norbert Mencke.
- Hsu, M., Y. Hsu, and W. Wu. 2002.** Consumption of flea faeces and eggs by larvae of the cat flea, *Ctenocephalides felis*. *Med. Vet. Entomol.* 16: 445-447.
- Jiang, Y., C. Lei, C. Niu, Y. Fang, C. Xiao, and Z. Zhang. 2002.** Semiochemicals from ovaries of gravid females attract ovipositing female houseflies, *Musca domestica*. *J. Insect Physiol.* 48: 945-950.
- Kavaliers, M., D. Colwell, and E. Choleris. 2003.** Learning to fear and cope with a natural stressor: Individually and socially acquired corticosterone and avoidance responses to biting flies. *Hormon. Behav.* 43: 99-107.
- Keirans, J., and J. M. Pound. 2003.** An annotated bibliography of the spinose ear tick, *Otobius megnini* (Dugès, 1883) (Acari: Ixodida: Argasidae) 1883-2000. *Syst. Appl. Acarol. Spec. Pub.* 13: 1-68.
- Kessler, E., H. Matthes, E. Schein, and M. Wendt. 2003.** Detection of antibodies in sera of weaned pigs after contact infection with *Sarcoptes scabiei* var. *suis* and after treatment with an antiparasitic agent by three different indirect ELISAs. *Vet. Parasitol.* 114: 63-73.
- Kiryama, K., H. Nishiwaki, Y. Nakagawa, and K. Nishimura. 2003.** Insecticidal activity and nicotinic acetylcholine receptor binding of dinotefuran and its analogues in the housefly, *Musca domestica*. *Pest Mgmt. Sci.* 59: 1093-1100.

- Kirst, H., L. Creemer, S. Naylor, P. Pugh, D. Snyder, J. Winkle, L. B. Lowe, J. Rothwell, T. Sparks, and W. T. 2003.** Evaluation and Development of Spinosyns to Control Ectoparasites on Cattle and Sheep. *Cur. Top. Medicinal Chem.* 2: 675-699.
- Klassen, E. 2003.** Edward F. Knipling: Titan and driving force in ecologically selective area-wide pest management. *J. Am. Mosq. Cont. Assn.* 19: 94-103.
- Kotiaho, J., and L. Simmons. 2003.** Longevity cost of reproduction for males but no longevity cost of mating or courtship for females in the male-dimorphic dung beetle *Onthophagus binodis*. *J. Insect Physiol.* 49: 817-822.
- Kristensen, M., and J. Jespersen. 2003.** Larvicide resistance in *Musca domestica* (Diptera: Muscidae) populations in Denmark and establishment of resistant laboratory strains. *J. Econ. Entomol.* 96: 1300-1306.
- Kyei-Poku, G., K. Floate, B. Benkel, and M. Goettel. 2003.** Elimination of *Wolbachia* from *Urolepis rufipes* (Hymenoptera: Pteromalidae) with heat and antibiotic treatments: Implications for host reproduction. *Biocont. Sci. Technol.* 13: 341-354.
- La-Rossa, F., D. Crespo, and R. Lecuona. 2002.** Population parameters of *Spalangia endius* Walker (Hymenoptera: Pteromalidae) on pupae of *Musca domestica* L. (Diptera: Muscidae). *Neotrop. Entomol.* 31: 597-600.
- Lapointe, J., C. Celeste, and A. Villeneuve. 2003.** Septic peritonitis due to colonic perforation associated with aberrant migration of a *Gasterophilus intestinalis* larva in a horse. *Vet. Pathol.* 40: 338-339.
- Learmount, J., P. Chapman, and A. MacNicoll. 2002.** Impact of an insecticide resistance strategy for house fly (Diptera: Muscidae) control in intensive animal units in the United Kingdom. *J. Econ. Entomol.* 95: 1245-1250.
- Li, A., R. Davey, R. Miller, and J. George. 2003.** Resistance to coumaphos and diazinon in *Boophilus microplus* (Acari: Ixodidae) and evidence for the involvement of an oxidative detoxification mechanism. *J. Med. Entomol.* 40: 482-490.
- Lumaret, J., and F. Errouissi. 2002.** Use of anthelmintics in herbivores and evaluation of risks for the non target fauna of pastures. *Vet. Res.* 33: 547-562.
- Luo, J., F. Chen, W. Lu, G. Guan, M. Ma, and H. Yin. 2003.** Experimental transmission of an unnamed bovine *Babesia* by *Hyalomma* spp., *Haemaphysalis longicornis* and *Boophilus microplus*. *Vet. Parasitol.* 116: 115-124.
- Lysyk, T., and W. Majak. 2003.** Increasing the paralyzing ability of a laboratory colony of *Dermacentor andersoni* Stiles. *J. Med. Entomol.* 40: 185-194.
- Macaluso, K., D. Sonenshine, S. Ceraul, and A. Azad. 2003.** Rickettsial infection in *Dermacentor variabilis* (Acari: Ixodidae) inhibits transovarial transmission of a second rickettsia. *J. Med. Entomol.* 39: 809-813.
- Maldonado, M., and N. Centeno. 2003.** Quantifying the potential pathogens transmission of the blowflies (Diptera: Calliphoridae). *Memorias Instituto Oswaldo Cruz* 98: 213-216.
- Mapstone, S., A. Beasley, and R. Wall. 2002.** Structure and function of the gnathosoma of the mange mite, *Psoroptes ovis*. *Med. Vet. Entomol.* 16: 378-385.
- Marchaim, U., A. Gelman, and Y. Braverman. 2003.** Reducing waste contamination from animal processing plants by anaerobic thermophilic fermentation and via flesh fly digestion. *Appl. Biochem. Biotech* 109: 107-116.
- Marchiori, C., L. Pereira, F. Silva, L. Ribeiro, and V. Borges. 2003.** Parasitoids of flies collected in chicken viscera in Itumbiara, Goias, Brazil. *Arquivo Brasileiro Medicina Veterinaria Zootecnia* 55: 380-382.

- Marcon, P., G. Thomas, B. Siegfried, J. Campbell, and S. Skoda. 2003.** Resistance status of house flies (Diptera: Muscidae) from southeastern Nebraska beef cattle feedlots to selected insecticides. *J. Econ. Entomol.* 96: 1016-1020.
- Marquez, J., and E. Krafur. 2003a.** Mitochondrial diversity in New World house flies (Diptera: Muscidae). *J. Med. Entomol.* 40: 30-35.
- Marquez, J., and E. Krafur. 2003b.** Mitochondrial diversity evaluated by the single strand conformation polymorphism method in African and North American house flies (*Musca domestica* L.). *Insect Molec. Biol.* 12: 99-106.
- Martins, J., D. Evans, V. Cereser, and B. Correa. 2003.** Partial strategic tick control within a herd of European breed cattle in the state of Rio Grande do Sul, southern Brazil. *Exp. Appl. Acarol.* 27: 241-251.
- McCluskey, B., E. Mumford, M. Salman, D. Traub, and J. Josie. 2002.** Use of sentinel herds to study the epidemiology of vesicular stomatitis in the State of Colorado. *Ann. New York Acad. Sci.* 969: 205-209.
- McHolland, L., and J. Mecham. 2003.** Characterization of cell lines developed from field populations of *Culicoides sonorensis* (Diptera: Ceratopogonidae). *J. Med. Entomol.* 40: 348-351.
- McKay, T., and A. Broce. 2003.** Response of *Muscidifurax zaraptor* (Hymenoptera: Pteromalidae) to the olfactory stimuli from hosts and their habitat. *J. Kans. Entomol. Soc.* 76: 31-37.
- McTier, T., N. Evans, M. Martin-Short, and K. Gration. 2003.** Comparison of the activity of selamectin, fipronil, and imidicloprid against flea larvae (*Ctenocephalides felis felis*) in vitro. *Vet. Parasitol.* 116: 45-50.
- Mercier, P., C. Cargill, and C. White. 2002.** Preventing transmission of sarcoptic mange from sows to their offspring by injection of ivermectin: Effects on swine production. *Vet. Parasitol.* 110: 25-33.
- Meyer, J., D. Disch, L. Cruthers, R. Slone, and R. Endris. 2003.** Repellency and efficacy of a 65% permethrin spot-on formulation for dogs against *Aedes aegypti* (Diptera: Culicidae) mosquitoes. *Vet. Therapeut.* 4: 135-144.
- Mihok, S. 2002.** The development of a multipurpose trap (the Nzi) for tsetse and other biting flies. *Bull. Entomol. Res.* 92: 385-403.
- Miller, J. A., R. Davey, D. Oehler, J. M. Pound, and J. George. 2003.** Efficacy of the Ivomec SR bolus for control of horn flies (Diptera: Muscidae) on cattle in south Texas. *J. Econ. Entomol.* 96: 1608-1611.
- Milnes, A., C. O'Callaghan, and L. Green. 2003.** A longitudinal study of a natural lice infestation in growing cattle over two winter periods. *Vet. Parasitol.* 116: 67-83.
- Murrell, B., L. Durden, and J. Cook. 2003.** Host Associations of the tick, *Ixodes angustus* (Acari: Ixodidae), on Alaskan mammals. *J. Med. Entomol.* 40: 682-685.
- Ndegwa, P., and J. Ogodo. 2002.** Community structure and diel activity patterns of Stomoxyinae from odour-baited Nzi trap collections. *Insect Sci. Applic.* 22: 275-280.
- O'Brien, D. 2003.** Book Review: Medical and Veterinary Entomology: Gary Mullen, Lance Durden (Eds.), Academic Press, 597 pp. (hardback), ISBN 0-12-510451-0. *Vet. Parasitol.* 113: 333.
- Ogden, N., A. Casey, Z. Woldehiwet, and N. French. 2003.** Transmission of *Anaplasma phagocytophilum* to *Ixodes ricinus* ticks from sheep in the acute and post-acute phases of infection. *Infect. Immunity* 71: 2071-2078.
- Okello, O., E. Tukahirwa, B. Perry, G. Rowlands, S. Nagda, G. Musisi, E. Bode, R. Heinonen, W. Mwayi, and A. Opuda. 2003.** The impact of tick control on the

- productivity of indigenous cattle under ranch conditions in Uganda. *Trop. Anim. Health Prod.* 35: 237-247.
- Ortiz, D., A. Wozniak, M. Tolson, P. Turner, and D. Vaughan. 2003.** Isolation of EEE virus from *Ochlerotatus taeniorhynchus* and *Culiseta melanura* in coastal South Carolina. *J. Am. Mosq. Cont. Assn.* 19: 33-38.
- Otake, S., S. Dee, K. Rossow, R. Moon, C. Trincado, and C. Pijoan. 2003a.** Transmission of porcine reproductive and respiratory syndrome virus by houseflies (*Musca domestica*). *Vet. Rec.* 152: 73-76.
- Otake, S., S. Dee, R. Moon, K. Rossow, C. Trincado, M. Farnham, and C. Pijoan. 2003b.** Survival of porcine reproductive and respiratory syndrome virus in houseflies (*Musca domestica*). *Can. J. Vet. Res.* 67: 198-203.
- Otranto, D., D. Traversa, E. Trarsitano, and J. Stevens. 2003a.** Molecular differentiation of *Hypoderma bovis* and *Hypoderma lineatum* (Diptera, Oestridae) by polymerase chain reaction-restriction fragment length polymorphism (PCR-RFLP). *Vet. Parasitol.* 112: 197-201.
- Otranto, D., D. Colwell, D. Traversa, and J. Stevens. 2003b.** Species identification of *Hypoderma* affecting domestic and wild ruminants by morphological and molecular characterization. *Med. Vet. Entomol.* 17: 316-325.
- Paranhos, S., G. Oliveira, E. Reis, R. de-Menezes, O. Fernandes, I. Sherlock, R. Gomes, L. Pontes de Carvalho, and L. Santos-Washington. 2003.** A follow-up of Beagle dogs intradermally infected with *Leishmania chagasi* in the presence or absence of sand fly saliva. *Vet. Parasitol.* 114: 97-111.
- Perotti, M., and T. Lysyk. 2003.** Novel growth media for rearing larval horn flies, *Haematobia irritans* (Diptera: Muscidae). *J. Med. Entomol.* 40: 22-29.
- Pruett, J. 2002.** Comparative inhibition kinetics for acetylcholinesterases extracted from organophosphate resistant and susceptible strains of *Boophilus microplus* (Acari: Ixodidae). *J. Econ. Entomol.* 95: 1239-1244.
- Pruett, J., F. Guerrero, and R. Hernandez. 2002.** Isolation and identification of an esterase from a Mexican strain of *Boophilus microplus* (Acari: Ixodidae). *J. Econ. Entomol.* 95: 1001-1007.
- Rajapakse, C., R. Meola, and J. Readio. 2002.** Comparative evaluation of juvenoids for control of cat fleas (Siphonaptera: Pulicidae) in topsoil. *J. Med. Entomol.* 39: 889-894.
- Rand, P., C. Lubelczyk, G. Lavigne, S. Elias, M. Holman, E. Lacombe, and R. Smith. 2003.** Deer density and the abundance of *Ixodes scapularis* (Acari: Ixodidae). *J. Med. Entomol.* 40: 179-184.
- Regalbono, A., G. Capelli, D. Otranto, and M. Pietrobelli. 2003.** Assessment of cattle grub (*Hypoderma* spp.) prevalence in northeastern Italy: an immunoepidemiological survey on bulk milk samples using ELISA. *Vet. Parasitol.* 111: 343-350.
- Rehbein, S., M. Visser, R. Winter, and A. Maciel. 2002.** Efficacy of a new long-acting formulation of ivermectin and other injectable avermectins against induced *Psoroptes ovis* infestations in cattle. *Parasitol. Res.* 88: 1061-1065.
- Rehbein, S., M. Visser, R. Winter, B. Trommer, H. Matthes, A. Maciel, and S. Marley. 2003.** Productivity effects of bovine mange and control with ivermectin. *Vet. Parasitol.* 114: 267-284.
- Rosenstock, S., F. Ramberg, J. Collins, and M. Rabe. 2003.** *Culicoides mohave* (Diptera: Ceratopogonidae): New occurrence records and potential role in transmission of hemorrhagic disease. *J. Med. Entomol.* 40: 577-579.

- Rust, M., M. Waggoner, N. Hinkle, D. Stansfield, and S. Barnett. 2003.** Efficacy and longevity of nitenpyram against adult cat fleas (Siphonaptera: Pulicidae). *J. Med. Entomol.* 40: 687-681.
- Ryan, J., K. Dave, E. Emmerich, B. Fernandez, M. Turell, J. Johnson, K. Gottfried, K. Burkhalter, A. Kerst, A. Hunt, R. Wirtz, and R. Nasci. 2003.** Wicking assays for the rapid detection of West Nile and St. Louis encephalitis viral antigens in mosquitoes (Diptera: Culicidae). *J. Med. Entomol.* 40: 95-99.
- Sagel, A., D. Berkebile, J. Foster, and S. Skoda. 2002.** The optimum diet of spray-dried animal blood cells as protein source for adult screwworms (Diptera: Calliphoridae). *J. Entomol. Sci.* 37: 353-362.
- Salin, C., Y. Delettre, and P. Vernon. 2003.** Controlling the mealworm *Alphitobius diaperinus* (Coleoptera: Tenebrionidae) in broiler and turkey houses: Field trials with a combined insecticide treatment: Insect growth regulator and pyrethroid. *J. Econ. Entomol.* 96: 126-130.
- Samui, K., R. Gleiser, M. Hugh-Jones, and C. Palmisano. 2003.** Mosquitoes captured in a horse-baited trap in Southeast Louisiana. *J. Am. Mosq. Cont. Assn.* 19: 139-147.
- Santos, T., M. Gaia, and R. Brazil. 2003.** Attraction of sand flies (Diptera: Psychodidae) to light traps in rural areas of Minas Gerais State, Brazil. *J. Am. Mosq. Cont. Assn.* 19: 74-78.
- Sardelis, M., M. Turell, and R. Andre. 2003.** Experimental transmission of St. Louis encephalitis virus by *Ochlerotatus j. japonicus*. *J. Am. Mosq. Cont. Assn.* 19: 159-162.
- Sarto, V., I. Monteys, and M. Saiz-Ardanaz. 2003.** *Culicoides* midges in Catalonia (Spain), with special reference to likely bluetongue virus vectors. *Med. Vet. Entomol.* 17: 288-293.
- Schenker, R., O. Tinembart, E. Humbert-Droz, T. Cavaliero, and B. Yerly. 2003.** Comparative speed of kill between nitenpyram, fipronil, imidacloprid, selamectin and cythioate against adult *Ctenocephalides felis* (Bouche) on cats and dogs. *Vet. Parasitol.* 112: 249-254.
- Schulze, T., R. Jordan, and R. Hung. 2002.** Effects of microscale habitat physiognomy on the focal distribution of *Ixodes scapularis* and *Amblyomma americanum* (Acari: Ixodidae) nymphs. *Environ. Entomol.* 31: 1085-1090.
- Scott, J., and Z. Zhang. 2003.** The house fly aliesterase gene (MdeltaE7) is not associated with insecticide resistance or P450 expression in three strains of house fly. *Insect Biochem. Molec. Biol.* 33: 139-144.
- Seery, D., D. Biggins, J. Montenieri, R. Ensore, D. Tanda, and K. Gage. 2003.** Treatment of black-tailed prairie dog burrows with deltamethrin to control fleas (Insecta: Siphonaptera) and plague. *J. Med. Entomol.* 40: 718-722.
- Serugga, J., N. Jonsson, R. Bock, and S. More. 2003.** Serological evidence of exposure to tick fever organisms in young cattle on Queensland dairy farms. *Austral. Vet. J.* 81: 147-152.
- Shaman, J., J. Day, and M. Stieglitz. 2003.** St. Louis encephalitis virus in wild birds during the 1990 South Florida epidemic: The importance of drought, wetting condition, and the emergence of *Culex nigripalpus* (Diptera: Culicidae) to arboviral amplification and transmission. *J. Med. Entomol.* 40: 547-554.
- Shelley, D., and T. Gehring. 2002.** Behavioral modification of Gray Wolves, *Canis lupus*, suffering from sarcoptic mange: Importance of sequential monitoring. *Can. Field Naturalist* 116: 648-650.

- Sherlock, R., B. Gomes, L. Pontes-de-Carvalho, and W. dos-Santos. 2003.** A follow-up of Beagle dogs interdermally infected with *Leishmania chagasi* in the presence or absence of sand fly saliva. *Vet. Parasitol.* 114: 97-111.
- Shono, T., and J. Scott. 2003.** Spinosad resistance in the housefly, *Musca domestica*, is due to a recessive factor on autosome 1. *Pestic. Biochem. Physiol.* 75: 1-7.
- Smith, H., and B. Mullens. 2003.** Seasonal activity, size, and parity of *Culicoides occidentalis* (Diptera: Ceratopogonidae) in a coastal southern California salt marsh. *J. Med. Entomol.* 40: 352-355.
- Smith, W., P. Bates, D. Pettit, A. van den Broek, and M. Taylor. 2002.** Attempts to immunize sheep against the scab mite, *Psoroptes ovis*. *Parasite Immunol.* 24: 303-310.
- Soderlund, D., and D. Knipple. 2003.** The molecular biology of knockdown resistance to pyrethroid insecticides. *Insect Biochem. Molec. Biol.* 33: 563-577.
- Solberg, V., J. Miller, T. Hadfield, R. Burge, J. Schech, and J. M. Pound. 2003.** Control of *Ixodes scapularis* (Acari: Ixodidae) with topical self-application of permethrin by white-tailed deer inhabiting NASA, Beltsville, Maryland. *J. Vect. Ecol.* 28: 117-134.
- Stanneck, D., K. Larsen, and N. Mencke. 2003.** Pyriproxyfen concentration in the coat of cats and dogs after topical treatment with a 1.0% w/v spot-on formulation. *J. Vet. Pharmacol.* 26: 233-235.
- Steelman, C., R. McNew, R. Simpson, R. Rorie, J. Phillips, and C. Rosenkrans. 2003.** Evaluation of alternative tactics for management of insecticide-resistant horn flies (Diptera: Muscidae). *J. Econ. Entomol.* 96: 892-901.
- Stegall, F., D. Clark, and S. Wright. 2003.** Detection of *Borrelia lonestari* in *Amblyomma americanum* (Acari: Ixodidae) from Tennessee. *J. Med. Entomol.* 40: 100-102.
- Stenseng, L., H. Skovgard, and P. Holter. 2003.** Life table studies of the pupal parasitoid *Urolepis rufipes* (Hymenoptera: Pteromalidae) on the house fly, *Musca domestica*, (Diptera: Muscidae) in Denmark. *Environ. Entomol.* 32: 717-725.
- Stevenson, H., Y. Bai, M. Kosoy, J. Monteneri, J. Lowell, M. Chu, and K. Gage. 2003.** Detection of novel *Bartonella* strains and *Yersinia pestis* in prairie dogs and their fleas (Siphonaptera: Ceratophyllidae and Pulicidae) using multiplex polymerase chain reaction. *J. Med. Entomol.* 40: 329-337.
- Swist, S., M. Wilkerson, C. Wyatt, A. Broce, and M. Kanost. 2002.** Modulation of bovine lymphocyte response by salivary gland extracts of the stable fly, *Stomoxys calcitrans* (Diptera: Muscidae). *J. Med. Entomol.* 39: 900-907.
- Szalanski, A., T. Palmer, T. McKay, and D. C. Steelman. 2003.** Infectivity of *Steinernema* spp. (Nematoda: Steinernematidae) to adult litter beetles, *Alphitobius diaperinus* (Coleoptera: Tenebrionidae) in the Laboratory. *Biocont. Sci. Technol.* 13: In Press.
- Tabouret, G., L. Bret-Bennis, P. Dorchies, and P. Jacquiet. 2003.** Serine protease activity in excretory-secretory products of *Oestrus ovis* (Diptera: Oestridae) larvae. *Vet. Parasitol.* 114: 305-314.
- Takasu, K., S. Takano, M. Sasaki, S. Yagi, and S. Nakamura. 2003.** Host recognition by the tick parasitoid *Ixodiphagus hookeri* (Hymenoptera: Encyrtidae). *J. Med. Entomol.* 40: 614-617.
- Tang, J., M. Caprio, D. C. Sheppard, and D. Gaydon. 2002.** Genetics and fitness costs of cyromazine resistance in the house fly (Diptera: Muscidae). *J. Econ. Entomol.* 95: 1251-1260.

- Thind, B., and H. Ford. 2003.** A simple pump-assisted method for collecting live, undamaged *Psoroptes ovis* from sheep using circulating saline. *Vet. Parasitol.* 114: 215-222.
- Tomberlin, J., and D. C. Sheppard. 2002.** Factors influencing mating and oviposition of black soldier flies (Diptera: Stratiomyidae) in a colony. *J. Entomol. Sci.* 37: 345-352.
- Tuno, N., Y. Tsuda, M. Takagi, and W. Swonkerd. 2003.** Pre- and postprandial mosquito resting behavior around cattle hosts. *J. Am. Mosq. Cont. Assn.* 19: 211-219.
- Vail, S., and G. Smith. 2002.** Vertical movement and posture of blacklegged tick (Acari: Ixodidae) nymphs as a function of temperature and relative humidity in laboratory experiments. *J. Med. Entomol.* 39: 842-846.
- van den Broek, A., and J. Huntley. 2003.** Sheep scab: the disease, pathogenesis and control. *J. Compar. Pathol.* 128: 79-91.
- van den Broek, A., J. Huntley, J. Machell, M. Taylor, and H. Miller. 2003.** Temporal pattern of isotype-specific antibody responses in primary and challenge infestations of sheep with *Psoroptes ovis* - the sheep scab mite. *Vet. Parasitol.* 111: 217-230.
- Venter, G., C. Hamblin, and J. Paweska. 2003.** Determination of the oral susceptibility of South African livestock-associated biting midges, *Culicoides* species, to bovine ephemeral fever virus. *Med. Vet. Entomol.* 17: 133-137.
- Venter, G., D. Groenewald, E. Venter, K. Hermanides, and P. Howell. 2002.** A comparison of the vector competence of the biting midges, *Culicoides bolitinos* (Avaritia) and *C. imicola* (A.), for the Bryanston serotype of equine encephalosis virus. *Med. Vet. Entomol.* 16: 372-377.
- Vessby, K., and S. Wiktelius. 2003.** The influence of slope aspect and soil type on immigration and emergence of some northern temperate dung beetles. *Pedobiologia* 47: 39-51.
- Villarino, M., S. Waghela, and G. Wagner. 2003.** Biochemical detection of esterases in the adult female integument of organophosphate-resistant *Boophilus microplus* (Acari: Ixodidae). *J. Med. Entomol.* 40: 52-57.
- Wall, R., I. Cruickshank, K. Smith, N. French, and A. Holme. 2002.** Development and validation of a simulation model for blowfly strike of sheep. *Med. Vet. Entomol.* 16: 335-346.
- Watson, D., S. Denning, L. Zurek, S. Stringham, and J. Elliott. 2003.** Effects of lime hydrate on the growth and development of darkling beetle, *Alphitobius diaperinus*. *Intl. J. Poult. Sci.* 2: 91-96.
- Watson, D., S. Stringham, S. Denning, S. Washburn, M. Poore, and A. Meier. 2002.** Managing the horn fly (Diptera: Muscidae) using an electric walk-through fly trap. *J. Econ. Entomol.* 95: 1113-1118.
- Wedincamp, J., and L. Foil. 2003.** *Rickettsia felis* infection in the cat flea (Siphonaptera: Pulicidae). *J. Entomol. Sci.* 38: 234-239.
- Werner, D., and A. Pont. 2003.** Dipteran predators of Simuliid blackflies: a worldwide review. *Med. Vet. Entomol.* 17: 115-132.
- Williams, T., J. Valle, and E. Vinuela. 2003.** Is the naturally derived insecticide Spinosad compatible with insect natural enemies? *Biocont. Sci. Technol.* 13: 459-476.

- Xu, J., O. Liu, H. Jing, B. Pang, J. Yang, G. Zhao, and L. Hongwei. 2003.** Isolation of *Escherichia coli* O157:H7 from dung beetles *Catharsius molossus*. *Microbiol. Immunol.* 47: 45-49.
- Yoruk, R., J. A. Hogsette, R. Rolle, and M. Marshall. 2003.** Apple polyphenol oxidase inhibitor(s) from the common house fly (*Musca domestica* L.). *J. Food Sci.* 68: 1942-1947.
- Yoshioka, Y., and K. Buei. 2003.** Trials of control of the cat flea, *Ctenocephalides felis* (Bouche), by using candidate formulations containing pyriproxyfen, a juvenile hormone analogue, under semi-field conditions. *Med. Entomol. Zool.* 54: 17-24.
- Zurek, L., J. Gore, M. S. Stringham, D. W. Watson, M. Waldvogel, and C. Schal. 2003.** Boric acid dust as a component of an integrated cockroach management program in confined swine production. *J. Econ. Entomol.* 96: 1362-1366.